# FIFRA 2(ee) Recommendation

**ACCEPTED** 

May 6, 2014

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration Doc Id: 538545

Classified for "RESTRICTED USE" in New York State under 6NYCRR Part 326

#### Researcher and Title:

Mark Whitmore, Extension Associate, Department of Natural Resources, Cornell University.

### Pesticide Name and EPA Registration No.:

Lesco Bandit 2F Insecticide, EPA Reg. No. 432-1312

## Target Crop:

Tsuga canadensis, Eastern hemlock

### Target Pest:

Adelges tsugae, Hemlock Woolly Adelgid

#### **Proposed Application Rate:**

0.1 to 0.2 fl oz (3 to 6 mL) per inch of trunk diameter (D.B.H.).

### *Nature of 2(ee) Variation from Product Label:*

Method of Application: The current label only allows application as soil drench or soil injection for control of hemlock woolly adelgid. We would like to include basal bark spray as a method of application.

### Complete Recommendation as it will Appear in the Cornell Guidelines:

Apply 0.1 to 0.2 fl oz (3 to 6 mL) of Lesco Bandit 2F Insecticide per inch of trunk diameter (D.B.H.) as a basal bark spray to control hemlock woolly adelgid in Eastern hemlock. The user must have a copy of the recommendation in their possession at the time of application.