

**IDEAL FOR:** turf, landscapes,  
trees & shrubs, and wildlife food plots

**Solu-Cal PLUS** Enhanced Calcitic Lime

# **Solu-Cal PLUS**

**Enhanced Calcitic Lime**  
**Cal Calcítico Mejorado**

**Solu-Cal PLUS** Enhanced Calcitic Lime



- Raises soil pH efficiently
- Combats acidic soils
- University tested & industry proven
- Saves time & money
- Low dust formula

Covers up to 10,000 sq. ft.

Powered by **INTENSIFY**  
**Soil Microbial BioCatalyst\***



NET WT. 50LB (22.68 kg)



**Solu-Cal**

Covers up to 10,000 sq. ft.

# Solu-Cal PLUS

## Enhanced Calcitic Lime

### Cal Calcítico Mejorado

#### Application Rates

Application rate depends on your soil test results. In the absence of a soil test use the following application rates.

**TO ATTACK LOW pH ACIDIC SOIL**  
Apply 12.5 lbs. per 1,000 sq. ft. or 520 lbs. per acre. Up to 3 applications per year, applied 8 weeks apart, are recommended for low pH soils.  
50 lb. bag covers 4,000 sq. ft.

**TO MAINTAIN SOIL pH**  
Apply 6 lbs. per 1,000 sq. ft. or 260 lbs. per acre. Two applications per year are recommended.  
50 lb. bag covers 8,000 sq. ft.

**TO MAINTAIN OPTIMUM GROWING CONDITIONS**  
for turf, shrubs, ornamental beds and vegetable gardens, apply 5 lbs./1,000 sq. ft. Two applications in spring and fall are recommended.  
50 lb. bag covers 10,000 sq. ft.

#### Recomendaciones en la Aplicación

El proporción de la aplicación depende de los resultados obtenidos en la prueba de suelo. En caso de que no exista una prueba de suelo use las siguientes proporciones en la aplicación.

Para corregir suelos ácidos con bajo pH aplique  
• una dosis de 12.5 libras por 1000 pies cuadrados o 520 libras por acre. Para suelos con bajo pH se recomienda un máximo de 3 aplicaciones por año a intervalos de 8 semanas.  
Una bolsa de 50 lbs. cubre 4,000 pies cuadrados

Para mantener el pH del suelo aplique una dosis de 6 libras por 1000 pies cuadrados o  
• 260 libras por acre. Se recomiendan dos aplicaciones por año.  
Una bolsa de 50 lbs. cubre 8,000 pies cuadrados

Para mantener garantizar condiciones de crecimiento óptimas  
• para huertos, césped, árboles, arbustos, arriates con plantas ornamentales aplique 5 libras por 1000 pies cuadrados. Se recomiendan dos aplicaciones en primavera y otoño.  
Una bolsa de 50 lbs. cubre 10,000 pies cuadrados

**For incorporation - after application wet thoroughly 30 minutes before tilling.**

Store in original container in cool, dry place.

This product is not intended as a fertilizer substitute. There are no plant nutrient claims from the calcium or magnesium in this product.

#### Guaranteed Analysis

Total Calcium (Ca).....	36.00%
Total Magnesium (Mg).....	0.5%
Calcium Carbonate (CaCO <sub>3</sub> ).....	95.00%
Magnesium Carbonate (MgCO <sub>3</sub> ).....	0.9%
Calcium Carbonate Equivalent (CCE).....	91.00%
Effective Neutralizing Value (ENV).....	88.27%
Maximum Moisture Content.....	1.0%

Derived from calcitic limestone.  
**FL:** This product requires 1978 lbs. to be equal to 1 ton of standard liming material.  
**KS:** ECC = 88.73%  
**MN:** 1765.76 lbs. ENP per ton  
**MS:** RNV = 91%  
**NC:** 2198 pounds of this material equals 1 ton of standard liming material.  
**OH:** ENP = 1765.76 lbs. per ton  
**OK:** ECC = 88.73%  
**OR:** Lime Score: 90  
**TN:** RNV = 92.18%  
 Meets WV fineness classification for pulverized.

#### Fineness before Prilling

4 Mesh Sieve.....	100% Passing
8 Mesh Sieve.....	100% Passing
10 Mesh Sieve.....	100% Passing
20 Mesh Sieve.....	100% Passing
50 Mesh Sieve.....	100% Passing
60 Mesh Sieve.....	95% Passing
100 Mesh Sieve.....	95% Passing
200 Mesh Sieve.....	90% Passing

#### ALSO CONTAINS NON PLANT FOOD INGREDIENTS

##### Soil Amending Guaranteed Analysis:

Active Ingredients:

8.00% Lignin Sulfonate (water soluble binder)	
0.50% Microbes	
<i>Bacillus polymyxa</i> .....	150,000 cfu per gram
<i>Bacillus subtilis</i> .....	150,000 cfu per gram
<i>Bacillus pumilus</i> .....	150,000 cfu per gram
<i>Bacillus licheniformis</i> .....	150,000 cfu per gram
<i>Bacillus amyloliquefaciens</i> .....	150,000 cfu per gram
<i>Bacillus megaterium</i> .....	150,000 cfu per gram
<i>Aspergillus amazonense</i> .....	150,000 cfu per gram
<i>Aspergillus liposorum</i> .....	150,000 cfu per gram
<i>Trichoderma harzianum</i> .....	150,000 cfu per gram

Inert Ingredients (as a soil amendment):  
91.50% Limestone

\*Purpose: Microbes decompose organic materials in the soil.

Information concerning the raw materials composing this product can be obtained by writing the Guarantor listed below, and referring to the batch number found on this container.

EXPIRATION DATE: DECEMBER 2020

NET WT. 50LB (22.68 kg)

**Solu-Cal USA**

FL Company License No: F1732

Guaranteed by SOLUCAL-USA Ltd.

P.O. BOX 278, WEST WAREHAM, MA 02576 - 774-678-0288  
www.solu-cal.com • Made in USA

#### Spreader Setting Chart Cartilla para programar el distribuidor

BROADCAST SPREADER	MAINTAIN SOIL PH 6 LBS./1,000 SQ. FT. BAG COVERS 8,000 SQ. FT.	RAISES SOIL PH 12.5 LBS./1,000 SQ. FT. BAG COVERS 4,000 SQ. FT.
MODELOS DE DISTRIBUIDORES	MANTENE EL PH DEL SUELO 6 LBS./1,000 pies <sup>2</sup> Una bolsa cubre 8,000 pies <sup>2</sup>	AUMENTA EL PH DEL SUELO 12.5 LBS./1,000 pies <sup>2</sup> Una bolsa cubre 4,000 pies <sup>2</sup>
Cyclone	6	8
Scotts EZ Green, Speedy Green, Accu Green, Edge Guard, Lawn Pro, Standard, Deluxe	5	9
Spyker	6	8
Earthway Broadcast (All Models / Todos los Modelos)	18	25
Prizelawn CBR and Bigfoot	N	U
Lesco	20 or J	26 or P
Ortho	5	9
Jet Spread III	7	12
Anderson / Scotts SR2000, AccuPro 2000	N	Q
Agway (All Models)	7	12
Permagreen (low gear)	22	28
Permagreen (high gear)	20	28
Zspray / Turfco T3000 (Consult manufacturers calibration chart)	8	10
Lely WFR, WGR and HR 500 PTO RPMs with 40ft swath	#7 @ 4 mph	#10 @ 4 mph
Vicon Superflow PS and Vicon Roto Flow RO Vicons at 540 PTO RPMs	#34 @ 5 mph	#52 @ 5 mph
<b>Drop Spreader / Distribuidor Vertical</b>		
Agway (All Models / Todos los Modelos)	4	8
Scotts (All Models / Todos los Modelos)	5	8
Earthway	15	18
Ortho	7	9

The Spreader Settings on this chart are intended only as a guide. Settings will vary depending on spreader condition, ground speed, terrain and humidity. Calibrate your spreader before use.

La programación del distribuidor en esta cartilla sirve solo de guía. La programación variará dependiendo de las condiciones del distribuidor, velocidad sobre el terreno, tierra y humedad. Calibre su distribuidor antes de usarlo.



**WARNING**

Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. May cause cancer. May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled.

Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell. Dispose of contents/container according to local regulations.

See Safety Data Sheet for further details regarding safe use of this product.

